



ADS Dental Laboratory

Samantha Merrifield, RDT SC 382
 1821 Gadsden Street
 Columbia SC 29201
 803-467-2033
 803-397-9694

www.aestheticdentalsolutions.com
 cases@aestheticdentalsolutions.com

INCOMING CHECK LIST:

- Impression/Master
- Triple Tray
- Opposing
- Bite
- Stick Bite
- Photos/CD/Card/USB
- Old Crown
- Facebow
- Temp/Preop Model
- Implant Transfer
- Implant Analog
- Implant Abutment
- Waxup
- Partial
- Other: _____

LAB USE

Doctor: _____

Patient: _____

Date Requested (by 5:00 pm) _____


LS2 Monolithic # _____
 (eMax, GC) Layered # _____

Porc Fused to Gold # _____
 Noble High Noble

Zirconia Ultra Trans FC (720Mpa) # _____
 High Trans FC(1200Mpa) # _____
 Layered # _____

Cast Gold Noble High Noble
 Wax Blueprint # _____

- If inadequate clearance:
- Spot reduce and mark prep
 - Reduce opposing
 - Reduction coping
 - Notify doctor



Shade:
 Gingival _____
 Body _____
 Incisal _____
 Stump _____

OVATE 	FULL LAP 	MODIFIED RIDGELAP 	SANITARY CONTACT 	SANITARY SPACED 	Ridge Reduction? <input type="checkbox"/> No <input type="checkbox"/> Scrape Cast <input type="checkbox"/> Yes _____mm
Occlusal Stain <input type="checkbox"/> None <input type="checkbox"/> Light <input type="checkbox"/> Medium <input type="checkbox"/> Heavy	Inc. Translucency <input type="checkbox"/> None <input type="checkbox"/> Min (.5mm) <input type="checkbox"/> Mod (1mm) <input type="checkbox"/> Max (1.5mm)	Surface Texture <input type="checkbox"/> Smooth <input type="checkbox"/> Light <input type="checkbox"/> Medium <input type="checkbox"/> High	Surface Finish <input type="checkbox"/> High Glaze <input type="checkbox"/> Polished Gloss <input type="checkbox"/> Satin Gloss <input type="checkbox"/> Low Gloss		

SPLINT DESIGN:

- Full Contact w/Ant Guidance
 Indent Cusps
- Flat Plane w/Group Function
 Indent Cusps
- Anterior Repositioning Splint (Pull Forward)
- Mini Deprogrammer
- Day Splint (lower only)

- Milled
- Processed

ARCH:

- Upper
- Lower

MATERIAL:

- Hard
- Hard/Soft

FIT:

- Tight
- Firm
- Loose


PALATAL DESIGN:

- Height of Contour
- Horseshoe
- Three-quarter
- Cut 3rds off

CLASPING:

- None
- Ball
- C Clasps

PLEASE DIAGRAM APPLIANCE BELOW:



ATHLETIC GUARD:

- 2MM 4MM
- Upper Lower
- Color:

<input type="checkbox"/> Pink	<input type="checkbox"/> Royal Blue
<input type="checkbox"/> Black	<input type="checkbox"/> Lilac
<input type="checkbox"/> White	<input type="checkbox"/> Baby Blue
<input type="checkbox"/> Green	<input type="checkbox"/> Camo
<input type="checkbox"/> Yellow	<input type="checkbox"/> Zebra
<input type="checkbox"/> Tie-Dye	<input type="checkbox"/> Silver
- Sport: _____

IMPORTANT!

Always retain all models, impressions and bites until appliances or crowns are seated. Should a problem occur, warranty is void if all original items are not returned. Damage to models may occur during fabrication. Please mark Rx if duplication (additional fee) of models is required.

Dr. Signature _____

License # _____

Date Written _____